

Example of a standard attribute filter for Shibboleth IdP v4 and above

 This is an example of a standard entity category based attribute filter for SWAMID 2.0 in a Shibboleth IdP which fulfils SWAMID's [Entity Category attribute release in SWAMID](#)

The latest published SWAMID example standard filter for Shibboleth Identity Provider 4 is published at <https://mds.swamid.se/entity-configurations/Shibboleth-IdP/v4/attribute-filter.xml>. Below is the latest version included from the publication repository.

```
<?xml version="1.0" encoding="UTF-8"?>

<AttributeFilterPolicyGroup id="ShibbolethFilterPolicy"
  xmlns="urn:mace:shibboleth:2.0:afp"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:schemaLocation="urn:mace:shibboleth:2.0:afp
http://shibboleth.net/schema/idp/shibboleth-afp.xsd">

  <!-- REFEDS Anonymous Authorization Entity Category -->
  <AttributeFilterPolicy id="releaseToRefedsAnonymous">
    <PolicyRequirementRule xsi:type="EntityAttributeExactMatch" attributeName="http://macedir.org/entity-
category" attributeValue="https://refeds.org/category/anonymous" />
    <AttributeRule attributeID="eduPersonScopedAffiliation">
      <PermitValueRule xsi:type="ANY"/>
    </AttributeRule>
    <AttributeRule attributeID="schacHomeOrganization">
      <PermitValueRule xsi:type="ANY"/>
    </AttributeRule>
  </AttributeFilterPolicy>

  <!-- REFEDS Pseudonymous Authorization Entity Category -->
  <!-- Supports data minimalisation to prevent use together with anonymous -->
  <AttributeFilterPolicy id="releaseToRefedsPseudonymous">
    <PolicyRequirementRule xsi:type="AND">
      <Rule xsi:type="EntityAttributeExactMatch" attributeName="http://macedir.org/entity-category"
attributeValue="https://refeds.org/category/pseudonymous" />
      <Rule xsi:type="NOT">
        <Rule xsi:type="EntityAttributeExactMatch" attributeName="http://macedir.org/entity-category"
attributeValue="https://refeds.org/category/anonymous" />
      </Rule>
    </PolicyRequirementRule>
    <AttributeRule attributeID="samlPairwiseID">
      <PermitValueRule xsi:type="ANY"/>
    </AttributeRule>
    <AttributeRule attributeID="eduPersonScopedAffiliation">
      <PermitValueRule xsi:type="ANY"/>
    </AttributeRule>
    <AttributeRule attributeID="schacHomeOrganization">
      <PermitValueRule xsi:type="ANY"/>
    </AttributeRule>
    <AttributeRule attributeID="eduPersonAssurance">
      <PermitValueRule xsi:type="ANY" />
    </AttributeRule>
  </AttributeFilterPolicy>

  <!-- REFEDS Personalized Access Entity Category -->
  <!-- Supports data minimalisation to prevent use together with anonymous and pseudonymous-->
  <AttributeFilterPolicy id="releaseToRefedsPersonalized">
    <PolicyRequirementRule xsi:type="AND">
      <Rule xsi:type="EntityAttributeExactMatch" attributeName="http://macedir.org/entity-category"
attributeValue="https://refeds.org/category/personalized" />
      <Rule xsi:type="NOT">
        <Rule xsi:type="OR">
          <Rule xsi:type="EntityAttributeExactMatch" attributeName="http://macedir.org/entity-
category" attributeValue="https://refeds.org/category/anonymous" />
          <Rule xsi:type="EntityAttributeExactMatch" attributeName="http://macedir.org/entity-
category" attributeValue="https://refeds.org/category/pseudonymous" />
        </Rule>
      </Rule>
    </PolicyRequirementRule>
  </AttributeFilterPolicy>
```

```

</PolicyRequirementRule>
<AttributeRule attributeID="samlSubjectID">
  <PermitValueRule xsi:type="ANY" />
</AttributeRule>
<AttributeRule attributeID="displayName">
  <PermitValueRule xsi:type="ANY" />
</AttributeRule>
<AttributeRule attributeID="givenName">
  <PermitValueRule xsi:type="ANY" />
</AttributeRule>
<AttributeRule attributeID="sn">
  <PermitValueRule xsi:type="ANY" />
</AttributeRule>
<AttributeRule attributeID="mail">
  <PermitValueRule xsi:type="ANY" />
</AttributeRule>
<AttributeRule attributeID="eduPersonAssurance">
  <PermitValueRule xsi:type="ANY" />
</AttributeRule>
<AttributeRule attributeID="schacHomeOrganization">
  <PermitValueRule xsi:type="ANY" />
</AttributeRule>
<AttributeRule attributeID="eduPersonScopedAffiliation">
  <PermitValueRule xsi:type="OR">
    <Rule xsi:type="Value" value="faculty" caseSensitive="false" />
    <Rule xsi:type="Value" value="student" caseSensitive="false"/>
    <Rule xsi:type="Value" value="staff" caseSensitive="false"/>
    <Rule xsi:type="Value" value="alum" caseSensitive="false"/>
    <Rule xsi:type="Value" value="member" caseSensitive="false"/>
    <Rule xsi:type="Value" value="affiliate" caseSensitive="false"/>
    <Rule xsi:type="Value" value="employee" caseSensitive="false"/>
    <Rule xsi:type="Value" value="library-walk-in" caseSensitive="false"/>
  </PermitValueRule>
</AttributeRule>
</AttributeFilterPolicy>

<!-- Rule to honour Subject ID requirement tag in metadata. Used in combination with Geant/Refeds Code of
Conduct v* -->
<!-- Code of Conduct can be combined with other entity categories -->
<!-- Supports data minimalisation to prevent subject-id and pairwise-id being released together -->
<AttributeFilterPolicy id="subject-identifiers">
  <PolicyRequirementRule xsi:type="OR">
    <Rule xsi:type="EntityAttributeExactMatch" attributeName="http://macedir.org/entity-category"
attributeValue="http://www.geant.net/uri/dataprotection-code-of-conduct/v1" />
    <Rule xsi:type="EntityAttributeExactMatch" attributeName="http://macedir.org/entity-category"
attributeValue="https://refeds.org/category/code-of-conduct/v2" />
  </PolicyRequirementRule>
  <AttributeRule attributeID="samlPairwiseID">
    <PermitValueRule xsi:type="AND">
      <Rule xsi:type="NOT">
        <Rule xsi:type="EntityAttributeExactMatch" attributeName="http://macedir.org/entity-
category" attributeValue="https://refeds.org/category/personalized" />
      </Rule>
      <Rule xsi:type="OR">
        <Rule xsi:type="EntityAttributeExactMatch" attributeName="urn:oasis:names:tc:SAML:profiles:
subject-id:req" attributeNameFormat="urn:oasis:names:tc:SAML:2.0:attrname-format:uri" attributeValue="pairwise-
id" />
        <Rule xsi:type="EntityAttributeExactMatch" attributeName="urn:oasis:names:tc:SAML:profiles:
subject-id:req" attributeNameFormat="urn:oasis:names:tc:SAML:2.0:attrname-format:uri" attributeValue="any" />
      </Rule>
    </PermitValueRule>
  </AttributeRule>
  <AttributeRule attributeID="samlSubjectID">
    <PermitValueRule xsi:type="AND">
      <Rule xsi:type="NOT">
        <Rule xsi:type="EntityAttributeExactMatch" attributeName="http://macedir.org/entity-
category" attributeValue="https://refeds.org/category/pseudonymous" />
      </Rule>
      <Rule xsi:type="EntityAttributeExactMatch" attributeName="urn:oasis:names:tc:SAML:profiles:
subject-id:req" attributeNameFormat="urn:oasis:names:tc:SAML:2.0:attrname-format:uri" attributeValue="subject-
id" />
    </PermitValueRule>
  </AttributeRule>

```

```

        </PermitValueRule>
    </AttributeRule>
</AttributeFilterPolicy>

<!-- GEANT Data protection Code of Conduct or REFEDS Data Protection Code of Conduct Entity Category -->
<AttributeFilterPolicy id="releaseToCodeOfConduct">
    <PolicyRequirementRule xsi:type="OR">
        <Rule xsi:type="EntityAttributeExactMatch" attributeName="http://macedir.org/entity-category"
attributeValue="http://www.geant.net/uri/dataprotection-code-of-conduct/v1" />
        <Rule xsi:type="EntityAttributeExactMatch" attributeName="http://macedir.org/entity-category"
attributeValue="https://refeds.org/category/code-of-conduct/v2" />
    </PolicyRequirementRule>
    <AttributeRule attributeID="eduPersonTargetedID">
        <PermitValueRule xsi:type="AttributeInMetadata" onlyIfRequired="true" />
    </AttributeRule>
    <AttributeRule attributeID="eduPersonPrincipalName">
        <PermitValueRule xsi:type="AttributeInMetadata" onlyIfRequired="true" />
    </AttributeRule>
    <AttributeRule attributeID="eduPersonOrcid">
        <PermitValueRule xsi:type="AttributeInMetadata" onlyIfRequired="true" />
    </AttributeRule>
    <AttributeRule attributeID="norEduPersonNIN">
        <PermitValueRule xsi:type="AND">
            <Rule xsi:type="AttributeInMetadata" onlyIfRequired="true" />
            <Rule xsi:type="RegistrationAuthority" registrars="http://www.swamid.se/" />
        </PermitValueRule>
    </AttributeRule>
    <AttributeRule attributeID="personalIdentityNumber">
        <PermitValueRule xsi:type="AND">
            <Rule xsi:type="AttributeInMetadata" onlyIfRequired="true" />
            <Rule xsi:type="RegistrationAuthority" registrars="http://www.swamid.se/" />
        </PermitValueRule>
    </AttributeRule>
    <AttributeRule attributeID="schacDateOfBirth">
        <PermitValueRule xsi:type="AttributeInMetadata" onlyIfRequired="true" />
    </AttributeRule>
    <AttributeRule attributeID="mail">
        <PermitValueRule xsi:type="AttributeInMetadata" onlyIfRequired="true" />
    </AttributeRule>
    <AttributeRule attributeID="mailLocalAddress">
        <PermitValueRule xsi:type="AttributeInMetadata" onlyIfRequired="true" />
    </AttributeRule>
    <AttributeRule attributeID="cn">
        <PermitValueRule xsi:type="AttributeInMetadata" onlyIfRequired="true" />
    </AttributeRule>
    <AttributeRule attributeID="displayName">
        <PermitValueRule xsi:type="AttributeInMetadata" onlyIfRequired="true" />
    </AttributeRule>
    <AttributeRule attributeID="givenName">
        <PermitValueRule xsi:type="AttributeInMetadata" onlyIfRequired="true" />
    </AttributeRule>
    <AttributeRule attributeID="sn">
        <PermitValueRule xsi:type="AttributeInMetadata" onlyIfRequired="true" />
    </AttributeRule>
    <AttributeRule attributeID="eduPersonAssurance">
        <PermitValueRule xsi:type="AttributeInMetadata" onlyIfRequired="true" />
    </AttributeRule>
    <AttributeRule attributeID="eduPersonScopedAffiliation">
        <PermitValueRule xsi:type="AND">
            <Rule xsi:type="AttributeInMetadata" onlyIfRequired="true" />
            <Rule xsi:type="OR">
                <Rule xsi:type="Value" value="faculty" caseSensitive="false" />
                <Rule xsi:type="Value" value="student" caseSensitive="false" />
                <Rule xsi:type="Value" value="staff" caseSensitive="false" />
                <Rule xsi:type="Value" value="alum" caseSensitive="false" />
                <Rule xsi:type="Value" value="member" caseSensitive="false" />
                <Rule xsi:type="Value" value="affiliate" caseSensitive="false" />
                <Rule xsi:type="Value" value="employee" caseSensitive="false" />
                <Rule xsi:type="Value" value="library-walk-in" caseSensitive="false" />
            </Rule>
        </PermitValueRule>
    </AttributeRule>

```

```

</AttributeRule>
<AttributeRule attributeID="eduPersonAffiliation">
  <PermitValueRule xsi:type="AttributeInMetadata" onlyIfRequired="true" />
</AttributeRule>
<AttributeRule attributeID="o">
  <PermitValueRule xsi:type="AttributeInMetadata" onlyIfRequired="true" />
</AttributeRule>
<AttributeRule attributeID="norEduOrgAcronym">
  <PermitValueRule xsi:type="AttributeInMetadata" onlyIfRequired="true" />
</AttributeRule>
<AttributeRule attributeID="c">
  <PermitValueRule xsi:type="AttributeInMetadata" onlyIfRequired="true" />
</AttributeRule>
<AttributeRule attributeID="co">
  <PermitValueRule xsi:type="AttributeInMetadata" onlyIfRequired="true" />
</AttributeRule>
<AttributeRule attributeID="schacHomeOrganization">
  <PermitValueRule xsi:type="AttributeInMetadata" onlyIfRequired="true" />
</AttributeRule>
<AttributeRule attributeID="schacHomeOrganizationType">
  <PermitValueRule xsi:type="AttributeInMetadata" onlyIfRequired="true" />
</AttributeRule>
</AttributeFilterPolicy>

<!-- REFEDS Research and Scholarship Entity Category -->
<AttributeFilterPolicy id="releaseToRefedsResearchAndScholarship">
  <PolicyRequirementRule xsi:type="EntityAttributeExactMatch" attributeName="http://macedir.org/entity-
category" attributeValue="http://refeds.org/category/research-and-scholarship" />
  <AttributeRule attributeID="eduPersonTargetedID">
    <PermitValueRule xsi:type="NOT">
      <Rule xsi:type="Value" value="https://refeds.org/assurance/ID/eppn-unique-no-reassign"
attributeID="eduPersonAssurance" />
    </PermitValueRule>
  </AttributeRule>
  <AttributeRule attributeID="displayName">
    <PermitValueRule xsi:type="ANY" />
  </AttributeRule>
  <AttributeRule attributeID="givenName">
    <PermitValueRule xsi:type="ANY" />
  </AttributeRule>
  <AttributeRule attributeID="sn">
    <PermitValueRule xsi:type="ANY" />
  </AttributeRule>
  <AttributeRule attributeID="mail">
    <PermitValueRule xsi:type="ANY" />
  </AttributeRule>
  <AttributeRule attributeID="eduPersonAssurance">
    <PermitValueRule xsi:type="ANY" />
  </AttributeRule>
  <AttributeRule attributeID="eduPersonPrincipalName">
    <PermitValueRule xsi:type="ANY" />
  </AttributeRule>
  <AttributeRule attributeID="eduPersonScopedAffiliation">
    <PermitValueRule xsi:type="OR">
      <Rule xsi:type="Value" value="faculty" caseSensitive="false" />
      <Rule xsi:type="Value" value="student" caseSensitive="false" />
      <Rule xsi:type="Value" value="staff" caseSensitive="false" />
      <Rule xsi:type="Value" value="alum" caseSensitive="false" />
      <Rule xsi:type="Value" value="member" caseSensitive="false" />
      <Rule xsi:type="Value" value="affiliate" caseSensitive="false" />
      <Rule xsi:type="Value" value="employee" caseSensitive="false" />
      <Rule xsi:type="Value" value="library-walk-in" caseSensitive="false" />
    </PermitValueRule>
  </AttributeRule>
</AttributeFilterPolicy>

<!-- ESI European Student Identifier -->
<AttributeFilterPolicy id="entity-category-european-student-identifier">
  <PolicyRequirementRule xsi:type="EntityAttributeExactMatch" attributeName="http://macedir.org/entity-
category" attributeValue="https://myacademicid.org/entity-categories/esi" />
  <AttributeRule attributeID="schacPersonalUniqueCode">

```

```

        <PermitValueRule xsi:type="ValueRegex" regex="^\urn:schac:personalUniqueCode:int:esi:.*" />
    </AttributeRule>
</AttributeFilterPolicy>

<!-- Sectigo -->
<AttributeFilterPolicy id="releaseSectigoAttributeBundle">
    <PolicyRequirementRule xsi:type="Requester" value="https://cert-manager.com/shibboleth" />
    <AttributeRule attributeID="eduPersonPrincipalName">
        <PermitValueRule xsi:type="ANY"/>
    </AttributeRule>
    <AttributeRule attributeID="displayName">
        <PermitValueRule xsi:type="ANY" />
    </AttributeRule>
    <AttributeRule attributeID="givenName">
        <PermitValueRule xsi:type="ANY" />
    </AttributeRule>
    <AttributeRule attributeID="mail">
        <PermitValueRule xsi:type="ANY" />
    </AttributeRule>
    <AttributeRule attributeID="sn">
        <PermitValueRule xsi:type="ANY"/>
    </AttributeRule>
    <AttributeRule attributeID="schacHomeOrganization">
        <PermitValueRule xsi:type="ANY"/>
    </AttributeRule>
    <AttributeRule attributeID="tcsPersonalEntitlement">
        <PermitValueRule xsi:type="ANY"/>
    </AttributeRule>
</AttributeFilterPolicy>

<!-- PLACEHOLDER DO NOT REMOVE -->
</AttributeFilterPolicyGroup>

```